



## Setup ASPStats

**IMPORTANT:** If you are upgrading your ASPStats to an ASPStats Pro, and want to keep your current statistic logs, do not upload the database again located in /aspstats/database/ - upload all the other files minus the database!

1. Unzip the file aspstats.zip
2. Upload the **/aspstats/** folder to your web hotel.

(This manual is also located in the asp module located in /aspstats/  
Username: **demo** Password: **demo**)

3. Make sure that you have writing access to the database!  
The database is located here: /aspstats/database/counter.mdb
4. Upload the file "global.asa" located in \aspstats\global.asa to your root directory  
the root directory is where your default or index file is located!

(Keeps track of your online users, works only when located in root)

5. Make sure that the connection to the database is correct, see page 2!
6. Insert tracking code into your current pages, see page 3

You have now completed setup and can begin tracking your visitors!



## Database connections

ASPStats is by default setup to be run at your /rootfolder/aspstats/ but if for some reason your site is located somewhere else, for example at [www.yourdomain.com/user15/mysite/](http://www.yourdomain.com/user15/mysite/) you have to add the additional folders to these files:

```
/aspstats/count.asp  
/aspstats/pagecount.asp
```

Below you see the code where you have to add the additional folders, if any.

```
<%  
MM_counter_STRING = "Provider=Microsoft.Jet.OLEDB.4.0;Data Source=" &  
Server.MapPath("/") & "/user15/mysite/aspstats/database/counter.mdb"  
%>
```



## Setting up your tracking code!

**On your main page put in:** (just above <html>)

```
<!--#include file="aspstats/count.asp" -->
<!--#include file="aspstats/pagecount.asp" -->
```

**On all the other pages you want to track put in:** (just above <html>)

```
<!--#include file="aspstats/pagecount.asp" -->
```

\* Include files will **NOT** work on **.html** and **.htm** files, if you are using these file extensions rename them to ether **.shtml** or **.asp**.

### NOTE

If you are tracking a page that are located in a extra folder you must make the following changes in each include script:

#### For example

index.asp	<!--#include file="aspstats/pagecount.asp" -->
 /aspstats/	
 /mypages/	<!--#include file="../aspstats/pagecount.asp" -->
 /mypages/shop/	<!--#include file="../../aspstats/pagecount.asp" -->

### Example

```
<%@LANGUAGE="VBSCRIPT" CODEPAGE="1252"%>
<!--#include file="aspstats/count.asp" -->
<!--#include file="aspstats/pagecount.asp" -->
<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>

<body>
This is my default page that are being tracked!
</body>
</html>
```